

GML-2010E

50 cm (19.5") LCD/TFT Monitor LED Backlight




- Full-HD TFT-LCD monitor
- Displays a full, flat 19.53" (50 cm) diagonal image
- LED Backpanel illumination
- 1 HDMI, 1 VGA Input
- External Power Supply
- Built-in Speaker

SPECIFICATIONS

LCD Panel size	19.53" Diagonal AM-TFT LED Backlight
Pixels - Total	1920(H) x 1080(V)
Pixel Pitch	0.2265 mm(H) x 0.221 mm(V)
Aspect Ratio	16 : 9
Video Inputs	1x HDMI, 1x VGA
Brightness	250 cd/m ²
Contrast ratio	1000:1
Number of Colours	16.7 million
Viewing Angle	178°(H) ~ 178°(V)
Response Time	12 ms
Audio Inputs	2 CH (1xHDMI, 1xMiniJack Connector)
Speaker Output	2 x 2W
Vesa Mount	100 x 100 mm
OSD	Yes, multi language
MTBF at 25° C	> 30,000 hours
Operating Temperature	0°C ~ +40°C
Operating Humidity	10% ~ 90%, non-condensing
Storage Temperature	-20°C ~ +50°C
Certification	CE, FCC, RoHS
Supply Voltage	100 ~ 240 Vac, 50/60Hz
Power Consumption	20 W
Weight	2.5 kg
Dimensions w*h*d	465 x 340 x 51.5 mm

DIMENSIONS



FRONT VIEW

